antibodies -online.com





anti-SF3B3 antibody (AA 35-210)





Overview

Quantity:	100 μL
Target:	SF3B3
Binding Specificity:	AA 35-210
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SF3B3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Splicing Factor 3B Subunit 3 (SF3B3)
Immunogen:	Recombinant Splicing Factor 3B Subunit 3 (SF3B3) corresdonding to Gly35~Phe210 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SF3B3. It has been selected for its ability to recognize SF3B3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Expiry Date:

rarget Details	
Target:	SF3B3
Alternative Name:	Splicing Factor 3B Subunit 3 (SF3B3 Products)
Background:	RSE1, SAP130, SF3b130, STAF130, Spliceosome-associated protein 130, Pre-mRNA-splicing factor SF3b 130 kDa subunit
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months



Western Blotting

Image 1. Detection of Recombinant SF3B3, Mouse using Polyclonal Antibody to Splicing Factor 3B Subunit 3 (SF3B3)