# antibodies -online.com





## anti-NAT8L antibody (AA 1-302)

2 Images



Go to Product page

$\sim$					
	1//	⊃r	V/I	Φ\	Λ


Quantity:	100 μL	
Target:	NAT8L	
Binding Specificity:	AA 1-302	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NAT8L antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

## **Product Details**

Purpose:	Polyclonal Antibody to N-Acetyltransferase 8 Like Protein (NAT8L)	
Immunogen:	Recombinant N-Acetyltransferase 8 Like Protein (NAT8L) corresdonding to Met1~Glu302 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against NAT8L. It has been selected for its ability to recognize NAT8L in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


## **Target Details**

9		
Target:	NAT8L	
Alternative Name:	N-Acetyltransferase 8 Like Protein (NAT8L Products)	
Background:	Hcml3, CML3, NAA synthetase, N-acetylaspartate synthetase, Camello-like protein 3	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



## **Immunohistochemistry**

Image 1. #VALUE!



## **Western Blotting**

**Image 2.** Detection of Recombinant NAT8L, Human using Polyclonal Antibody to N-Acetyltransferase 8 Like Protein (NAT8L)