antibodies -online.com





anti-TIRAP antibody (AA 1-221)



Images



Go to Product page

\sim					
	1//6	r	V I	Θ	Λ

Quantity:	100 μL	
Target:	TIRAP	
Binding Specificity:	AA 1-221	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TIRAP antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)	


Product Details

Purpose:	Polyclonal Antibody to Toll Interleukin 1 Receptor Domain Containing Adaptor Protein (TIRAP)	
Immunogen:	Recombinant Toll Interleukin 1 Receptor Domain Containing Adaptor Protein (TIRAP) corresdonding to Met1~Ser221 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TIRAP. It has been selected for its ability to recognize TIRAP in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	TIRAP	
Alternative Name:	Toll Interleukin 1 Receptor Domain Containing Adaptor Protein (TIRAP Products)	
Background:	Mal, Wyatt, MyD88 Adapter-Like, Adaptor protein Wyatt	
Pathways:	TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Toll-Like Receptors Cascades	

	Bacterial Origin, Toll-Like Receptors Cascades	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions: Handling	For Research Use only	
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of TIRAP in Human Kidney Tissue using Polyclonal Antibody to Toll Interleukin 1 Receptor Domain Containing Adaptor Protein (TIRAP)



Western Blotting

Image 2. Detection of TIRAP in Rat Heart Tissue using Polyclonal Antibody to Toll Interleukin 1 Receptor Domain Containing Adaptor Protein (TIRAP)



Western Blotting

Image 3. Detection of Recombinant TIRAP, Human using Polyclonal Antibody to Toll Interleukin 1 Receptor Domain Containing Adaptor Protein (TIRAP)

Please check the product details page for more images. Overall 8 images are available for ABIN7441712.