



[Go to Product page](#)

Datasheet for ABIN7441724  
**anti-NBL1 antibody (AA 17-181)**

1 Image

### Overview

Quantity:	100 µL
Target:	NBL1
Binding Specificity:	AA 17-181
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NBL1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

### Product Details

Purpose:	Polyclonal Antibody to Neuroblastoma, Suppression Of Tumorigenicity 1 (NBL1)
Immunogen:	Recombinant Neuroblastoma, Suppression Of Tumorigenicity 1 (NBL1) corresponding to Ala17~Asp181 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NBL1. It has been selected for its ability to recognize NBL1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

---

Target:	NBL1
Alternative Name:	Neuroblastoma, Suppression Of Tumorigenicity 1 ( <a href="#">NBL1 Products</a> )
Background:	NB, DAN, NO3, DAND1, Differential Screening-Selected Gene Aberrant In Neuroblastoma, DAN domain family member 1

## Application Details


---

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



### Western Blotting

**Image 1.** Detection of recombinant NBL1 using Polyclonal Antibody to Neuroblastoma, Suppression Of Tumorigenicity 1 (NBL1)