# antibodies .- online.com





## anti-MUC12 antibody (AA 5261-5335)



| ()      | V(  | 2r         | Vİ  | 6             | W   |
|---------|-----|------------|-----|---------------|-----|
| $\circ$ | ۷ ۷ | <b>∵</b> I | V I | $\overline{}$ | v v |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | MUC12  |
| Binding Specificity: | AA 5261-5335   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This MUC12 antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC), Immunocytochemistry (ICC) |

#### **Product Details**

| Purpose:      | Polyclonal Antibody to Mucin 12, Cell Surface Associated (MUC12)   |
|---------------|--|
| Immunogen:    | Recombinant Mucin 12, Cell Surface Associated (MUC12) corresdonding to Ser5261~Val5335 with Two N-terminal Tags, His-tag and SUMO-tag  |
| Isotype:      | IgG  |
| Specificity:  | The antibody is a rabbit polyclonal antibody raised against MUC12. It has been selected for its ability to recognize MUC12 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |

#### **Target Details**

Target: MUC12

### **Target Details**

| Alternative Name:   | Mucin 12, Cell Surface Associated (MUC12 Products)   |
|---------------------|--|
| Background:         | MUC11  |
| Application Dataila |  |
| Application Details |  |
| Application Notes:  | Western blotting: 0.5-2 μg/mL  |
|                     | Immunohistochemistry: 5-20 μg/mL   |
|                     | Immunocytochemistry: 5-20 μg/mL  |
|                     | Optimal working dilutions must be determined by end user.  |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
|                     | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious          |
|                     | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
|                     | date under appropriate storage condition.  |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Buffer:             | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.                                      |
| Preservative:       | Sodium azide   |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which                    |
|                     | should be handled by trained staff only.   |
| Storage:            | 4 °C,-20 °C  |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without  |
|                     | detectable loss of activity. Avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:        | 24 months  |