# antibodies .- online.com









### Overview

Quantity:	100 μL
Target:	RGS5
Binding Specificity:	AA 1-181
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Polyclonal Antibody to Regulator Of G Protein Signaling 5 (RGS5)
Immunogen:	Recombinant Regulator Of G Protein Signaling 5 (RGS5) corresdonding to Met1~Lys181
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against RGS5. It has been selected for its ability to recognize RGS5 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	RGS5


# Target Details

Expiry Date:

Target Details	
Alternative Name:	Regulator Of G Protein Signaling 5 (RGS5 Products)
Pathways:	Myometrial Relaxation and Contraction, Regulation of G-Protein Coupled Receptor Protein Signaling
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions: Handling	For Research Use only
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without

detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months



## **Western Blotting**

**Image 1.** Detection of Recombinant RGS5, Mouse using Polyclonal Antibody to Regulator Of G Protein Signaling 5 (RGS5)