antibodies.com

Datasheet for ABIN7441796 anti-TRAF4 antibody (AA 193-444)

3 Images



Overview

Quantity:	100 µL
Target:	TRAF4
Binding Specificity:	AA 193-444
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAF4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Purpose:	Polyclonal Antibody to TNF Receptor Associated Factor 4 (TRAF4)
Immunogen:	Recombinant TNF Receptor Associated Factor 4 (TRAF4) corresdonding to GIn193~Asp444 with N-terminal His Tag
lsotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TRAF4. It has been selected for its ability to recognize TRAF4 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7441796 | 01/15/2024 | Copyright antibodies-online. All rights reserved.

Target Details


Target:	TRAF4
Alternative Name:	TNF Receptor Associated Factor 4 (TRAF4 Products)
Background:	CART1, MLN62, RNF83, Cysteine-rich domain associated with RING and Traf domains protein
	1, Metastatic lymph node gene 62 protein, RING finger protein 83

Application Details

Application Notes:	Western blotting: 1-5 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




kDa 70— 44— 33— 26— 22— 18— 14— 10—



Image 1. #VALUE!

Western Blotting

Image 2. Detection of TRAF4 in Human Blood Cells using Polyclonal Antibody to TNF Receptor Associated Factor 4 (TRAF4)



Western Blotting

Image 3. Detection of Recombinant TRAF4, Human using Polyclonal Antibody to TNF Receptor Associated Factor 4 (TRAF4)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7441796 | 01/15/2024 | Copyright antibodies-online. All rights reserved.