# antibodies -online.com





# anti-P-Selectin antibody (AA 198-432)

4 Images



### Go to Product page

| $\sim$ |     |        |               |     |            |   |    |
|--------|-----|--------|---------------|-----|------------|---|----|
|        | 1// | $\Box$ | $r \setminus$ | / [ | $\bigcirc$ | 1 | ٨, |

| Quantity:            | 100 μL   |  |
|----------------------|--|--|
| Target:              | P-Selectin (SELP)  |  |
| Binding Specificity: | AA 198-432   |  |
| Reactivity:          | Human  |  |
| Host:                | Rabbit   |  |
| Clonality:           | Polyclonal   |  |
| Conjugate:           | This P-Selectin antibody is un-conjugated  |  |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |  |

# **Product Details**


Target:

| Purpose:       | Polyclonal Antibody to P-Selectin (SELP)   |
|----------------|--|
| Immunogen:     | Recombinant P-Selectin (SELP) corresdonding to Arg198~Asn432 (Accession # P16109)  |
| Isotype:       | IgG  |
| Specificity:   | The antibody is a rabbit polyclonal antibody raised against SELP. It has been selected for its ability to recognize SELP in immunohistochemical staining and western blotting. |
| Purification:  | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |
| Target Details |  |

P-Selectin (SELP)


# **Target Details**

| Alternative Name:   | P-Selectin (SELP Products)  |  |
|---------------------|---|--|
| Background:         | CD62P, Selectin, Platelet, PSEL, GMP140, LECAM3, GRMP, GMRP, PADGEM, Leukocyte-endothelial cell adhesion molecule 3, Platelet activation dependent granule-external membr   |  |
| Application Details |   |  |
| Application Notes:  | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.  |  |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |  |
| Restrictions:       | For Research Use only   |  |
| Handling            |   |  |
| Format:             | Liquid  |  |
| Buffer:             | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.  |  |
| Preservative:       | ProClin   |  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.   |  |
| Storage:            | 4 °C,-20 °C   |  |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.   |  |
| Expiry Date:        | 24 months   |  |




# **Immunohistochemistry**

**Image 1.** Detection of SELP in Human Kidney Tissue using Polyclonal Antibody to P-Selectin (SELP)



# **Western Blotting**

Image 2. Detection of Recombinant SELP, Human using Polyclonal Antibody to P-Selectin (SELP)



# **Immunohistochemistry**

Image 3. Detection of SELP in Human Stomach Tissue using Polyclonal Antibody to P-Selectin (SELP)

Please check the product details page for more images. Overall 4 images are available for ABIN7441859.