antibodies -online.com







anti-TBP antibody (AA 8-316)





()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	TBP	
Binding Specificity:	AA 8-316	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TBP antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to TATA Binding Protein (TBP)	
Immunogen:	Recombinant TATA Binding Protein (TBP) corresdonding to Pro8~Thr316 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TBP. It has been selected for its ability to recognize TBP in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

|--|

Target Details

Storage Comment:


Expiry Date:

Target Details		
Alternative Name:	TATA Binding Protein (TBP Products)	
Background:	GTF2D, GTF2D1, SCA17, TFIID, TATA sequence-binding protein, TATA-box factor, Transcription	
	initiation factor TFIID TBP subunit	
Pathways:	WNT Signaling	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:250-1000 Immunohistochemistry: 5-20 μg/mL	
	1:25-100 Immunocytochemistry: 5-20 μg/mL	
	1:25-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

detectable loss of activity. Avoid repeated freeze-thaw cycles.


24 months

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant TBP, Mouse using Polyclonal Antibody to TATA Binding Protein (TBP)