antibodies -online.com









Go to Product page

\sim							
0	۱۱/	Δ	r\	/ I		1/	١.
\cup	v	$\overline{}$	ΙV	1	$\overline{}$	٧	٧


Quantity:	100 μL	
Target:	IREM1	
Binding Specificity:	AA 45-310	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IREM1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Immune Receptor Expressed On Myeloid Cells 1 (IREM1)
lmmunogen:	Recombinant Immune Receptor Expressed On Myeloid Cells 1 (IREM1) corresdonding to Ser45~Ile310 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IREM1. It has been selected for its ability to recognize IREM1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

IREM1		
Immune Receptor Expressed On Myeloid Cells 1 (IREM1 Products)		
CD300f, CD300LF, NKIR, IGSF13, CLM1, CD300 Antigen Like Family Member F, CMRF35-Like		
Molecule 1, Immunoglobulin superfamily member 13, NK inhibitory receptor		
Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-		
20 μg/mL Optimal working dilutions must be determined by end user.		
The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
date under appropriate storage condition.		
For Research Use only		
Liquid		
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
ProClin		
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
handled by trained staff only.		
4 °C,-20 °C		
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
detectable loss of activity. Avoid repeated freeze-thaw cycles.		
24 months		




Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of IREM1 in Mouse Liver Tissue using Polyclonal Antibody to Immune Receptor Expressed On Myeloid Cells 1 (IREM1)



Western Blotting

Image 3. Detection of Recombinant IREM1, Mouse using Polyclonal Antibody to Immune Receptor Expressed On Myeloid Cells 1 (IREM1)