# antibodies -online.com





## anti-PSMC4 antibody (AA 1-418)



## **Images**



Go to Product pag

_					
U	V	er	V	Ie	W


Quantity:	100 μL	
Target:	PSMC4	
Binding Specificity:	AA 1-418	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PSMC4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

### **Product Details**

Purpose:	Polyclonal Antibody to Proteasome 26S Subunit, ATPase 4 (PSMC4)	
lmmunogen:	Recombinant Proteasome 26S Subunit, ATPase 4 (PSMC4) corresdonding to Met1~Lys418 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PSMC4. It has been selected for its ability to recognize PSMC4 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


## **Target Details**

9		
Target:	PSMC4	
Alternative Name:	Proteasome 26S Subunit, ATPase 4 (PSMC4 Products)	
Background:	S6, TBP7, Protease 26S subunit 6, MB67-interacting protein, Tat-Binding Protein 7, MB67 Interacting Protein, 26S proteasome AAA-ATPase subunit RPT3	
Pathways:	Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA, Ubiquitin Proteasome Pathway	
Application Details		
Application Notes:	Western blotting: 0.5-2 $\mu$ g/mL Immunohistochemistry: 5-20 $\mu$ g/mL Immunocytochemistry: 5-20 $\mu$ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




### **Western Blotting**

**Image 1.** Detection of PSMC4 in Rat Testis lysate using Polyclonal Antibody to Proteasome 26S Subunit, ATPase 4 (PSMC4)



#### **Western Blotting**

**Image 2.** Detection of PSMC4 in Human Kidney Tissue using Polyclonal Antibody to Proteasome 26S Subunit, ATPase 4 (PSMC4)



## **Immunohistochemistry**

**Image 3.** Detection of PSMC4 in Human Kidney Tissue using Polyclonal Antibody to Proteasome 26S Subunit, ATPase 4 (PSMC4)

Please check the product details page for more images. Overall 8 images are available for ABIN7442066.