antibodies.com

Datasheet for ABIN7442186 anti-MAPK7 antibody (AA 185-419)

5 Images



Overview

Quantity:	100 µL
Target:	MAPK7
Binding Specificity:	AA 185-419
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAPK7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Mitogen Activated Protein Kinase 7 (MAPK7)
Immunogen:	Recombinant Mitogen Activated Protein Kinase 7 (MAPK7) corresdonding to Pro185~Met419 (Accession # Q9WVS8)
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MAPK7. It has been selected for its ability to recognize MAPK7 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

-	-			
- 1	ar	n	പ	ŀ١
- 1	a	Ч		ι.

MAPK7

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7442186 | 09/09/2023 | Copyright antibodies-online. All rights reserved.


Target Details	
Alternative Name:	Mitogen Activated Protein Kinase 7 (MAPK7 Products)
Background:	BMK1, ERK4, ERK5, PRKM7, Extracellular-Signal-Regulated Kinase 5, Big MAP kinase 1
Pathways:	MAPK Signaling, Neurotrophin Signaling Pathway, Activation of Innate immune Response, cAMP Metabolic Process, Toll-Like Receptors Cascades, Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of MAPK7 in Mouse Testis Tissue using Polyclonal Antibody to Mitogen Activated Protein Kinase 7 (MAPK7)

Immunohistochemistry

Image 2. Detection of MAPK7 in Mouse Lung Tissue using Polyclonal Antibody to Mitogen Activated Protein Kinase 7 (MAPK7)



Western Blotting

Image 3. Detection of Recombinant MAPK7, Mouse using Polyclonal Antibody to Mitogen Activated Protein Kinase 7 (MAPK7)

Please check the product details page for more images. Overall 5 images are available for ABIN7442186.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7442186 | 09/09/2023 | Copyright antibodies-online. All rights reserved.