antibodies -online.com





anti-CYP27B1 antibody (AA 256-508)



Images



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew


Quantity:	100 μL
Target:	CYP27B1
Binding Specificity:	AA 256-508
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CYP27B1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Purpose:	Polyclonal Antibody to Cytochrome P450 27B1 (CYP27B1)	
Immunogen:	Recombinant Cytochrome P450 27B1 (CYP27B1) corresdonding to Asp256~Arg508 (Accession # 015528)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CYP27B1. It has been selected for its ability to recognize CYP27B1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details	
Target:	CYP27B1
Alternative Name:	Cytochrome P450 27B1 (CYP27B1 Products)
Background:	VDD1, PDDR, CYP1, P450c1, 25-Hydroxyvitamin D3 1-Alpha-Hydroxylase, Cytochrome P450
	Family 27 Subfamily B Polypeptide 1, Calcidiol 1-monooxygenase, VD3 1A hydroxylase
Pathways:	Metabolism of Steroid Hormones and Vitamin D
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of CYP27B1 in Human Breast cancer Tissue using Polyclonal Antibody to Cytochrome P450 27B1 (CYP27B1)



Western Blotting

Image 2. Detection of CYP27B1 in Mouse Kidney Tissue using Polyclonal Antibody to Cytochrome P450 27B1 (CYP27B1)



Immunohistochemistry

Image 3. Detection of CYP27B1 in Human Skin Cancer Tissue using Polyclonal Antibody to Cytochrome P450 27B1 (CYP27B1)

Please check the product details page for more images. Overall 4 images are available for ABIN7442201.