# antibodies - online.com







## anti-SPARC antibody (AA 18-303)

**Images** 



#### Overview

Quantity:	100 μL
Target:	SPARC
Binding Specificity:	AA 18-303
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPARC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**


Purpose:	Polyclonal Antibody to Osteonectin (ON)
Immunogen:	Recombinant Osteonectin (ON) corresdonding to Ala18~Ile303 (Accession # P09486)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ON. It has been selected for its ability to recognize ON in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### **Target Details**

Target:	SPARC
Alternative Name:	Osteonectin (SPARC Products)
Background:	SPARC, BM-40, Secreted Protein, Acidic, Cysteine-Rich, Basement-membrane protein 40, Secreted protein acidic and rich in cysteine
Pathways:	Autophagy
Application Details	


Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Immunohistochemistry**

Image 1. #VALUE!



#### **Western Blotting**

Image 2. Detection of Recombinant Osteonectin, Human using Polyclonal Antibody to Osteonectin (ON)