antibodies .- online.com







anti-TMEFF2 antibody (AA 52-290)

Images



Overview

Quantity:	100 μL
Target:	TMEFF2
Binding Specificity:	AA 52-290
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEFF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Target:

Purpose:	Polyclonal Antibody to Tomoregulin (TR)
Immunogen:	Recombinant Tomoregulin (TR) corresdonding to Thr52~Arg290 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TR. It has been selected for its ability to recognize TR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

TMEFF2


Target Details

-	
Alternative Name:	Tomoregulin (TMEFF2 Products)
Background:	TMEFF2, TENB2, HPP1, TPEF, CT120.2, Transmembrane Protein With EGF-Like And Two
	Follistatin-Like Domains 2, Hyperplastic polyposis protein 1
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant Tomoregulin, Human using Polyclonal Antibody to Tomoregulin (TR)