antibodies -online.com





anti-C1QA antibody (AA 23-245)





Overview

Quantity:	100 μL
Target:	C1QA
Binding Specificity:	AA 23-245
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C1QA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Complement Component 1, Q Subcomponent A (C1qA)
Immunogen:	Recombinant Complement Component 1, Q Subcomponent A (C1qA) corresdonding to Glu23~Ala245 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against C1qA. It has been selected for its ability to recognize C1qA in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Application Notes:


Target:	C1QA
Alternative Name:	Complement Component 1, Q Subcomponent A (C1QA Products)
Background:	Complement Component 1,q Subcomponent,Alpha Polypeptide
Pathways:	Complement System
Application Details	

	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: $0.5-2 \mu g/mL$ Immunohistochemistry: $5-20 \mu g/mL$ Immunocytochemistry: $5-20 \mu g/mL$


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of C1qA in Mouse Spleen Tissue using Polyclonal Antibody to Complement Component 1, Q Subcomponent A (C1qA)



Western Blotting

Image 2. Detection of Recombinant C1qA, Mouse using Polyclonal Antibody to Complement Component 1, Q Subcomponent A (C1qA)