antibodies -online.com





anti-IL-10 antibody (AA 19-178)



Images



Go to	Prod	luct	page

_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	IL-10 (IL10)
Binding Specificity:	AA 19-178
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL-10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Interleukin 10 (IL10)
Immunogen:	Recombinant Interleukin 10 (IL10) corresdonding to Ser19~Asn178 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL10. It has been selected for its ability to recognize IL10 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	IL-10 (IL10)

Target Details


Alternative Name:	Interleukin 10 (IL10 Products)
Background:	CSIF, IL10A, TGIF, Cytokine Synthesis Inhibitory Factor
Pathways:	Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Production of Molecular Mediator of Immune Response, Maintenance of Protein Location, Cancer Immune Checkpoints

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of IL10 in Human Lymphocyte lysate using Polyclonal Antibody to Interleukin 10 (IL10)

Western Blotting

Image 2. Detection of Recombinant IL10, Human using Polyclonal Antibody to Interleukin 10 (IL10)



Immunohistochemistry

Image 3. Detection of IL10 in Human Kidney Tissue using Polyclonal Antibody to Interleukin 10 (IL10)

Please check the product details page for more images. Overall 9 images are available for ABIN7442330.