antibodies -online.com





anti-CCL26 antibody (AA 24-94)



Images



Go to Product page

| \sim | |
|--------|----------|
| ()\/△ | rview |
| \cup | 1 410 44 |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | CCL26 |
| Binding Specificity: | AA 24-94 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CCL26 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |


Product Details

| Purpose: | Polyclonal Antibody to Macrophage Inflammatory Protein 4 Alpha (MIP4a) |
|---------------|--|
| Immunogen: | Recombinant Macrophage Inflammatory Protein 4 Alpha (MIP4a) corresdonding to Thr24~Leu94 (Accession # Q9Y258) with N-terminal His and GST Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against MIP4a. It has been selected for its ability to recognize MIP4a in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details


Target Details

| rarget Details | |
|---------------------|--|
| Alternative Name: | Macrophage Inflammatory Protein 4 Alpha (CCL26 Products) |
| Background: | CCL26, SCYA26, IMAC, TSC-1, Eotaxin 3, Thymic stroma chemokine-1, Chemokine(C-C- |
| | Motif)ligand 26, Thymic Stroma Chemokine-1, Small Inducible Cytokine Subfamily A 26 |
| Pathways: | Regulation of Actin Filament Polymerization |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | Immunohistochemistry: 5-20 μg/mL |
| | Immunocytochemistry: 5-20 μg/mL |
| | Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which |
| | should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Immunohistochemistry

Image 1. Detection of MIP4a in Human Lung cancer Tissue using Polyclonal Antibody to Macrophage Inflammatory Protein 4 Alpha (MIP4a)



Western Blotting

Image 2. Detection of Recombinant MIP4a, Human using Polyclonal Antibody to Macrophage Inflammatory Protein 4 Alpha (MIP4a)



Immunohistochemistry

Image 3. #VALUE!