antibodies -online.com





anti-CHRM3 antibody (AA 1-104)



Image



Go to Product page

| () | 11 | \sim | rv | | ۱ ۸ |
|-----|-------|--------|------|---|-----|
| | 1 \ / | ⊢ | I \/ | ╙ | 1/1 |
| | | | | | |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | CHRM3 | |
| Binding Specificity: | AA 1-104 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This CHRM3 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Polyclonal Antibody to Cholinergic Receptor, Muscarinic 3 (CHRM3) |
|---------------|--|
| lmmunogen: | Recombinant Cholinergic Receptor, Muscarinic 3 (CHRM3) corresdonding to Met1~Asn104 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against CHRM3. It has been selected for its ability to recognize CHRM3 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

Target Details


| Alternative Name: | Cholinergic Receptor, Muscarinic 3 (CHRM3 Products) |
|-------------------|---|
| Background: | CHR-M3, HM3, M-AChRM3, Muscarinic Acetylcholine Receptor M3, Cholinergic Receptor, Muscarinic 3 |
| Pathways: | Synaptic Membrane |

Application Details

| Restrictions: | For Research Use only |
|--------------------|--|
| | date under appropriate storage condition. |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | 20 μg/mL Optimal working dilutions must be determined by end user. |
| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5- |

Handling

| Format: | Liquid | |
|--------------------|---|--|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |



Western Blotting

Image 1. Detection of Recombinant CHRM3, Human using Polyclonal Antibody to Cholinergic Receptor, Muscarinic 3 (CHRM3)