

Datasheet for ABIN7442507
anti-DDB2 antibody (AA 166-383)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	DDB2
Binding Specificity:	AA 166-383
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDB2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Damage Specific DNA Binding Protein 2 (DDB2)
Immunogen:	Recombinant Damage Specific DNA Binding Protein 2 (DDB2) corresponding to Pro166~Met383 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DDB2. It has been selected for its ability to recognize DDB2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	DDB2
Alternative Name:	Damage Specific DNA Binding Protein 2 (DDB2 Products)
Background:	DDBB, UV-DDB2, Xeroderma Pigmentosum Group E Protein, UV-Damaged DNA-Binding Protein 2, DDB p48 Subunit, Damage-specific DNA-binding protein 2
Pathways:	DNA Damage Repair

Application Details

Application Notes:	Western blotting: 1-5 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant DDB2, Human using Polyclonal Antibody to Damage Specific DNA Binding Protein 2 (DDB2)