antibodies -online.com







anti-CD99 antibody (AA 26-160)



Images



| \sim | |
|--------|----------|
| ()\/△ | rview |
| \cup | 1 410 44 |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | CD99 |
| Binding Specificity: | AA 26-160 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CD99 antibody is un-conjugated |
| Application: | Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC) |


Product Details

| Purpose: | Polyclonal Antibody to Cluster Of Differentiation 99 (CD99) |
|---------------|--|
| Immunogen: | Recombinant Cluster Of Differentiation 99 (CD99) corresdonding to Gly26~Gly160 (Accession # Q4L2A2) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against CD99. It has been selected for its ability to recognize CD99 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

Target Details

| 9 | |
|---------------------|---|
| Alternative Name: | CD99 (CD99 Products) |
| Target Type: | Viral Protein |
| Background: | MIC2X, MIC2Y, MIC2, Antigen Identified By Monoclonal Antibodies 12E7,F21 And 013, E2 antigen, T-cell surface glycoprotein E2 |
| Application Details | |
| Application Notes: | Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |
| | |




Western Blotting

Image 1. Detection of CD99 in Rat Thymus lysate using Polyclonal Antibody to Cluster Of Differentiation 99 (CD99)

Western Blotting

Image 2. Detection of Recombinant CD99, Rat using Polyclonal Antibody to Cluster Of Differentiation 99 (CD99)



10

Immunohistochemistry

Image 3. #VALUE!

Please check the product details page for more images. Overall 4 images are available for ABIN7442519.