antibodies -online.com





anti-THSD7A antibody (AA 42-242)

2 Images



Go to Product page

Overview


Quantity:	100 μL
Target:	THSD7A
Binding Specificity:	AA 42-242
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This THSD7A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Thrombospondin Type I Domain Containing Protein 7A (THSD7A)
Immunogen:	Recombinant Thrombospondin Type I Domain Containing Protein 7A (THSD7A) corresdonding to Thr42~Tyr242 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against THSD7A. It has been selected for its ability to recognize THSD7A in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	THSD7A
Alternative Name:	Thrombospondin Type I Domain Containing Protein 7A (THSD7A Products)
Application Details	
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
	detectable 1055 of activity. Avoid repeated freeze thaw cycles.



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant THSD7A, Mouse using Polyclonal Antibody to Thrombospondin Type I Domain Containing Protein 7A (THSD7A)