

Datasheet for ABIN7442582

anti-SUMO1 antibody





Go to Product page

| | ve | rv | ie | W |
|---------|-----|-------|----|-----|
| \circ | v C | · I V | 10 | V V |

| Quantity: | 100 μL |
|--------------|--------------------------------------------------------------------------------------------------------|
| Target: | SUM01 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SUMO1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

Target:

Alternative Name:

| Purpose: | Polyclonal Antibody to Small Ubiquitin Related Modifier Protein 1 (SUMO1) | |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Immunogen: | Recombinant Small Ubiquitin Related Modifier Protein 1 (SUMO1) corresdonding to N-terminal His Tag | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against SUM01. It has been selected for its ability to recognize SUM01 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |
| Target Details | | |

SUM01

SUM01 (SUM01 Products)


| Target Details | |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | GMP1, OFC10, PIC1, SMT3, SMT3C, SMT3H3, SUMO-1, UBL1, GAP-modifying protein 1, Ubiquitin-homology domain protein PIC1 |
| UniProt: | P63166 |
| Pathways: | M Phase, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus, Ubiquitin Proteasome Pathway |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μ g/mL,lmmunohistochemistry: 5-20 μ g/mL,lmmunocytochemistry: 5-20 μ g/mL,Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| | |

For Research Use only

Handling

Restrictions:

| Format: | Liquid |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Concentration: | 500 μg/mL |
| Buffer: | PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300. |
| Preservative: | Dithiothreitol (DTT), ProClin |
| Precaution of Use: | This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Western Blotting

Image 1. Detection of Recombinant SUMO1, Human using Polyclonal Antibody to Small Ubiquitin Related Modifier Protein 1 (SUMO1)