antibodies -online.com





anti-FDPS antibody (AA 1-419)

3 Images



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	$\triangle V$

Quantity:	100 μL	
Target:	FDPS	
Binding Specificity:	AA 1-419	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FDPS antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Farnesyl Diphosphate Synthase (FDPS)	
Immunogen:	Recombinant Farnesyl Diphosphate Synthase (FDPS) corresdonding to Met1~Lys419 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against FDPS. It has been selected for its ability to recognize FDPS in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

|--|


Target Details

rarget Details		
Alternative Name:	Farnesyl Diphosphate Synthase (FDPS Products)	
Background:	FPS, Farnesyl Pyrophosphate Synthetase, Dimethylallyltranstransferase,	
	Geranyltranstransferase	
Pathways:	Regulation of Muscle Cell Differentiation	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of FDPS in Porcine Liver Tissue using Polyclonal Antibody to Farnesyl Diphosphate Synthase (FDPS)



Western Blotting

Image 2. Detection of Recombinant FDPS, Human using Polyclonal Antibody to Farnesyl Diphosphate Synthase (FDPS)



Immunohistochemistry

Image 3. Detection of FDPS in Porcine Kidney Tissue using Polyclonal Antibody to Farnesyl Diphosphate Synthase (FDPS)