antibodies - online.com







anti-Caspase 3 antibody (AA 29-175)



Images



()	1 /	\sim	rv	11/	11	Α
	1//	⊢	I \/	16	٦,	/\

Quantity:	100 μL	
Target:	Caspase 3 (CASP3)	
Binding Specificity:	AA 29-175	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Caspase 3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	ose: Polyclonal Antibody to Caspase 3 (CASP3)	
Immunogen:	Recombinant Caspase 3 (CASP3) corresdonding to Ser29~Asp175 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CASP3. It has been selected for its ability to recognize CASP3 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

Target:	Caspase 3 (CASP3)
Alternative Name:	Caspase 3 (CASP3 Products)
Background:	CPP32, CPP32B, SCA1, Apoptain, Yama, Apoptosis-Related Cysteine Peptidase, Cysteinyl Aspartate Specific Proteinases 3, SREBP cleavage activity 1
Pathways:	Apoptosis, Caspase Cascade in Apoptosis, Sensory Perception of Sound, ER-Nucleus Signaling, Positive Regulation of Endopeptidase Activity, Activated T Cell Proliferation
Application Details	

Application Notes:	Western blotting: 0.5-2 μg/mL		
	Immunohistochemistry: 5-20 μg/mL		
	Immunocytochemistry: 5-20 μg/mL		
	Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		


Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of CASP3 in lysates of Jurkat cell line using Polyclonal Antibody to Caspase 3 (CASP3)



Western Blotting

Image 2. Detection of Recombinant CASP3, Human using Polyclonal Antibody to Caspase 3 (CASP3)



Immunohistochemistry

Image 3. Detection of CASP3 in Human Thyroid Tissue using Polyclonal Antibody to Caspase 3 (CASP3)

Please check the product details page for more images. Overall 6 images are available for ABIN7442660.