antibodies -online.com



Datasheet for ABIN7442864

anti-Interleukin enhancer-binding factor 3 (ILF3) (AA 672-891) antibody



Go to Product pag



Overview	
Quantity:	100 μL
Target:	Interleukin enhancer-binding factor 3 (ILF3)
Binding Specificity:	AA 672-891
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP),
	Immunocytochemistry (ICC)
Product Details	
Purpose:	Polyclonal Antibody to Interleukin Enhancer Binding Factor 3 (ILF3)
Immunogen:	Recombinant Interleukin Enhancer Binding Factor 3 (ILF3) corresdonding to Tyr672~Tyr891
	(Accession # Q12906)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ILF3. It has been selected for its
	ability to recognize ILF3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	


Target Details

Alternative Name:	Interleukin Enhancer Binding Factor 3 (ILF3 Products)
Background:	DRBF, DRBP76, MMP4, MPHOSPH4, MPP4, NFAT, NF-AT-90, NF90, NFAR1, TCP80, Nuclear Factor Of Activated T-Cells, M-Phase Phosphoprotein 4
Pathways:	M Phase
Application Details	

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	20 μg/mL Optimal working dilutions must be determined by end user.
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of ILF3 in Human K562 cell lysate using Polyclonal Antibody to Interleukin Enhancer Binding Factor 3 (ILF3)



Flow Cytometry

Image 2. Detection of ILF3 in K562 human chronic myelogenous leukemia cell line using Polyclonal Antibody to Interleukin Enhancer Binding Factor 3 (ILF3)



Western Blotting

Image 3. Detection of Recombinant ILF3, Human using Polyclonal Antibody to Interleukin Enhancer Binding Factor 3 (ILF3)

Please check the product details page for more images. Overall 6 images are available for ABIN7442864.