# antibodies - online.com







## anti-Tachykinin 3 antibody (AA 29-101)





	Go to	Prod	uct	page
--	-------	------	-----	------

_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	Tachykinin 3 (TAC3)
Binding Specificity:	AA 29-101
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Tachykinin 3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**


Purpose:	Polyclonal Antibody to Neurokinin B (NKB)
Immunogen:	Recombinant Neurokinin B (NKB) corresdonding to Gln29~Pro101 (Accession # P55099) with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NKB. It has been selected for its ability to recognize NKB in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

#### **Target Details**

Target:	Tachykinin 3 (TAC3)		
---------	---------------------	--	--


### **Target Details**

Neurokinin B (TAC3 Products)
NK-B, TAC3, NKNB, ZNEUROK1, Neuromedin K, Tachykinin 3, Neurokinin Beta
Western blotting: 0.5-2 μg/mL
Immunohistochemistry: 5-20 μg/mL
Immunocytochemistry: 5-20 μg/mL
Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Sodium azide
This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
should be handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.
24 months



#### **Immunohistochemistry**

Image 1. #VALUE!



#### **Western Blotting**

Image 2. Detection of Recombinant NKB, Mouse using Polyclonal Antibody to Neurokinin B (NKB)