antibodies -online.com





anti-POU2F1 antibody (AA 413-671)

3 Images



Go to Product page

Overview


Quantity:	100 μL
Target:	POU2F1
Binding Specificity:	AA 413-671
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This POU2F1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Octamer Binding Transcription Factor 1 (OCT1)
lmmunogen:	Recombinant Octamer Binding Transcription Factor 1 (OCT1) corresdonding to Asn413~Leu671 (Accession # P14859)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against OCT1. It has been selected for its ability to recognize OCT1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

rarget Details	
Target:	POU2F1
Alternative Name:	Octamer Binding Transcription Factor 1 (POU2F1 Products)
Background:	POU2F1, OTF1, NF-A1, POU Domain, Class 2, Transcription Factor 1, Octamer-binding transcription factor 1
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:200-800 Immunohistochemistry: 5-20 μg/mL
	1:20-80 Immunocytochemistry: 5-20 μg/mL
	1:20-80 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of OCT1 in Jurkat cell lysate using Polyclonal Antibody to Octamer Binding Transcription Factor 1 (OCT1)



Western Blotting

Image 2. Detection of Recombinant OCT1, Human using Polyclonal Antibody to Octamer Binding Transcription Factor 1 (OCT1)



Immunohistochemistry

Image 3. #VALUE!