
antibodies -online.com







Images



Go to Product page

\sim			
	IV/E	۱//۱۲	$I \cap V$

Quantity:	100 μL	
Target:	STAM	
Binding Specificity:	AA 196-465	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This STAM antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Signal Transducing Adaptor Molecule 1 (STAM1)	
Immunogen:	Recombinant Signal Transducing Adaptor Molecule 1 (STAM1) corresdonding to Thr196~Val465 (Accession # Q92783)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against STAM1. It has been selected for its ability to recognize STAM1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target: STAM

Target Details

Alternative Name:	Signal Transducing Adaptor Molecule 1 (STAM Products)
Background:	SH3 Domain And ITAM Motif
Pathways:	EGFR Signaling Pathway, EGFR Downregulation

Application Details

Application Notes:	Western blotting: 0.5-5 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of STAM1 in Human Raji cell lysate using Polyclonal Antibody to Signal Transducing Adaptor Molecule 1 (STAM1)



Flow Cytometry

Image 2. Detection of STAM1 in Raji human Burkitt's lymphoma cell line using Polyclonal Antibody to Signal Transducing Adaptor Molecule 1 (STAM1)



Western Blotting

Image 3. Detection of Recombinant STAM1, Human using Polyclonal Antibody to Signal Transducing Adaptor Molecule 1 (STAM1)

Please check the product details page for more images. Overall 6 images are available for ABIN7442918.