antibodies -online.com





anti-Ataxin 10 antibody (AA 116-302)



Images



Go to	Prod	luct	page

_					
U	V	er	V	Ie	W


Quantity:	100 μL
Target:	Ataxin 10 (ATXN10)
Binding Specificity:	AA 116-302
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ataxin 10 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Ataxin 10 (ATXN10)
Immunogen:	Recombinant Ataxin 10 (ATXN10) corresdonding to Leu116~Ala302
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ATXN10. It has been selected for its ability to recognize ATXN10 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

9	
Target:	Ataxin 10 (ATXN10)
Alternative Name:	Ataxin 10 (ATXN10 Products)
Background:	E46L, SCA10, Spinocerebellar Ataxia 10, Brain protein E46 homolog
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunocytochemistry in formalin fixed cells: 5-20 μg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μg/mL Immunohistochemistry in
	paraffin section: 5-20 μg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of ATXN10 in Human Kidney Tissue using Polyclonal Antibody to Ataxin 10 (ATXN10)



Immunofluorescence

Image 2. Detection of ATXN10 in Hela cells using Polyclonal Antibody to Ataxin 10 (ATXN10)



Western Blotting

Image 3. Detection of Recombinant ATXN10, Human using Polyclonal Antibody to Ataxin 10 (ATXN10)

Please check the product details page for more images. Overall 8 images are available for ABIN7442945.