
antibodies - online.com







anti-CD6 antibody (AA 477-644)





Overview

| Quantity: | 100 μL |
|----------------------|--------------------------------------------------------------------------------------------------------|
| Target: | CD6 |
| Binding Specificity: | AA 477-644 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CD6 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Cluster Of Differentiation 6 (CD6) |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immunogen: | Recombinant Cluster Of Differentiation 6 (CD6) corresdonding to Ser477~Pro644 (Accession # Q812A4) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against CD6. It has been selected for its ability to recognize CD6 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details


| Target: | CD6 |
|-------------------|------------------------------------------------|
| Alternative Name: | CD6 (CD6 Products) |
| Background: | TP120, T12, T-cell differentiation antigen CD6 |
| | |

Application Details

| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5- |
|--------------------|--------------------------------------------------------------------------------------------------|
| | 20 μg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |


Handling

| Format: | Liquid |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of CD6 in Human Jurkat cell lysate using Polyclonal Antibody to Cluster Of Differentiation 6 (CD6)



Western Blotting

Image 2. Detection of Recombinant CD6, Rat using Polyclonal Antibody to Cluster Of Differentiation 6 (CD6)



Immunohistochemistry

Image 3. #VALUE!

Please check the product details page for more images. Overall 4 images are available for ABIN7443002.