antibodies -online.com





anti-ICAM4 antibody (AA 23-227)



Images



Go to Product page

()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷


Quantity:	100 μL	
Target:	ICAM4	
Binding Specificity:	AA 23-227	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ICAM4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Intercellular Adhesion Molecule 4 (ICAM4)	
Immunogen:	Recombinant Intercellular Adhesion Molecule 4 (ICAM4) corresdonding to Gln23~Leu227 (Accession # Q9ERM2)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ICAM4. It has been selected for its ability to recognize ICAM4 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

•		
Target:	ICAM4	
Alternative Name:	Intercellular Adhesion Molecule 4 (ICAM4 Products)	
Background:	CD242, LW, Landsteiner-Weiner Blood System, Landsteiner-Wiener blood group glycoprotein	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:500-2000 Immunohistochemistry: 5-20 μg/mL	
	1:50-200 Immunocytochemistry: 5-20 μg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of ICAM4 in Mouse Spleen lysate using Polyclonal Antibody to Intercellular Adhesion Molecule 4 (ICAM4)



Western Blotting

Image 2. Detection of Recombinant ICAM4, Mouse using Polyclonal Antibody to Intercellular Adhesion Molecule 4 (ICAM4)



Immunohistochemistry

Image 3. Detection of ICAM4 in Human Spleen Tissue using Polyclonal Antibody to Intercellular Adhesion Molecule 4 (ICAM4)

Please check the product details page for more images. Overall 5 images are available for ABIN7443041.