antibodies -online.com





anti-C9 antibody (AA 136-512)

3 Images



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | C9 |
| Binding Specificity: | AA 136-512 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This C9 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details


Target:

C9

| Purpose: | Polyclonal Antibody to Complement Component 9 (C9) |
|----------------|--|
| Immunogen: | Recombinant Complement Component 9 (C9) corresdonding to Pro136~Arg512 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against C9. It has been selected for its ability to recognize C9 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |


Target Details

| Alternative Name: | Complement Component 9 (C9 Products) |
|---------------------|--|
| Pathways: | Complement System |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 µg/mL |
| | Immunohistochemistry: 5-20 μg/mL |
| | Immunocytochemistry: 5-20 μg/mL |
| | Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be |
| | handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Immunohistochemistry

Image 1. Detection of C9 in Mouse Liver Tissue using Polyclonal Antibody to Complement Component 9 (C9)



Western Blotting

Image 2. Detection of C9 in Mouse Serum using Polyclonal Antibody to Complement Component 9 (C9)

Western Blotting

Image 3. Detection of Recombinant C9, Mouse using Polyclonal Antibody to Complement Component 9 (C9)