antibodies -online.com





anti-WNT16 antibody (AA 30-365)

2 Images



Go to Product page

_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	WNT16	
Binding Specificity:	AA 30-365	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This WNT16 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Wingless Type MMTV Integration Site Family, Member 16 (WNT16)
Immunogen:	Recombinant Wingless Type MMTV Integration Site Family, Member 16 (WNT16) corresdonding to Asn30~Lys365 (Accession # Q9UBV4) with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against WNT16. It has been selected for its ability to recognize WNT16 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	WNT16
Alternative Name:	Wingless Type MMTV Integration Site Family, Member 16 (WNT16 Products)
Pathways:	WNT Signaling

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL 1:250-1000 Immunohistochemistry: 5-20 μg/mL 1:25-100 Immunocytochemistry: 5-20 μg/mL
Comment:	1:25-100 Optimal working dilutions must be determined by end user. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration
Restrictions:	date under appropriate storage condition. For Research Use only


Handling

Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant WNT16, Human using Polyclonal Antibody to Wingless Type MMTV Integration Site Family, Member 16 (WNT16)