
antibodies -online.com





anti-CITED1 antibody (AA 1-193)

100 μL

Mouse, Rat

2 Images



Go to Product page

\sim					
	1//6	٦r	V I	Θ	Λ

Quantity:

Cross-Reactivity:

Purification:


Target:	CITED1		
Binding Specificity:	AA 1-193		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This CITED1 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)		
Product Details			
Purpose:	Polyclonal Antibody to Cbp/p300 Interacting Transactivator, With Glu/Asp Rich Carboxy Terminal Domain 1 (CITED1)		
Immunogen:	Recombinant Cbp/p300 Interacting Transactivator, With Glu/Asp Rich Carboxy Terminal Domain 1 (CITED1) corresdonding to Met1~Cys193 (Accession # Q99966)		
Isotype:	IgG		
Specificity:	The antibody is a rabbit polyclonal antibody raised against CITED1. It has been selected for its		

ability to recognize CITED1 in immunohistochemical staining and western blotting.

Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

CITED1	
Cbp/p300 Interacting Transactivator, With Glu/Asp Rich Carboxy Terminal Domain 1 (CITED1 Products)	
MSG1, Melanocyte-specific protein 1	
Western blotting: 0.5-2 μg/mL	
1:160-660 Immunohistochemistry: 5-20 μg/mL	
1:16-66 Immunocytochemistry: 5-20 µg/mL	
1:16-66 Optimal working dilutions must be determined by end user.	
The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
date under appropriate storage condition.	
For Research Use only	
Liquid	
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Sodium azide	
This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
should be handled by trained staff only.	
4 °C,-20 °C	
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
detectable loss of activity. Avoid repeated freeze-thaw cycles.	
24 months	



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant CITED1, Human using Polyclonal Antibody to Cbp/p300 Interacting Transactivator, With Glu/Asp Rich Carboxy Terminal Domain 1 (CITED1)