antibodies -online.com





anti-IL17RC antibody (AA 257-477)





Go to Product page

\sim	
()\/\	rview
\circ	

Quantity:	100 μL
Target:	IL17RC
Binding Specificity:	AA 257-477
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL17RC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Interleukin 17 Receptor C (IL17RC)
Immunogen:	Recombinant Interleukin 17 Receptor C (IL17RC) corresdonding to Asn257~Asn477 (Accession # Q8NAC3)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL17RC. It has been selected for its ability to recognize IL17RC in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

9	
Target:	IL17RC
Alternative Name:	Interleukin 17 Receptor C (IL17RC Products)
Background:	IL17-RL, IL17R-C, IL17Rhom, Interleukin-17 receptor homolog, Interleukin-17 receptor-like protein, ZcytoR14
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of IL17RC in Human HepG2 cell lysate using Polyclonal Antibody to Interleukin 17 Receptor C (IL17RC)



Western Blotting

Image 2. Detection of Recombinant IL17RC, Human using Polyclonal Antibody to Interleukin 17 Receptor C (IL17RC)



Immunohistochemistry

Image 3. Detection of IL17RC in Human HepG2 Cells using Polyclonal Antibody to Interleukin 17 Receptor C (IL17RC)

Please check the product details page for more images. Overall 4 images are available for ABIN7443296.