antibodies -online.com





anti-COL1A1 antibody (AA 1218-1440)

2 Images



Go to Product page

Overview

| Quantity: | 100 μL |
|----------------------|---|
| Target: | COL1A1 |
| Binding Specificity: | AA 1218-1440 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This COL1A1 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| Purpose: | Polyclonal Antibody to Collagen Type I Alpha 1 (COL1a1) |
|-------------------|--|
| Immunogen: | Recombinant Collagen Type I Alpha 1 (COL1a1) corresdonding to Ala1218~Ile1440 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against COL1a1. It has been selected for its ability to recognize COL1a1 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Pig, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |


Target Details

| Target: | COL1A1 |
|---------------------|---|
| Alternative Name: | Collagen Type I Alpha 1 (COL1A1 Products) |
| Background: | COL-1A1, COL1-A1, COL1A-1, OI4, Collagen Alpha-1(I)chain |
| Pathways: | Sensory Perception of Sound, Autophagy, Growth Factor Binding |
| Application Details | |
| Application Notes | Western blotting: 0.5-2 µg/ml |

| Application notes. | western blotting. 0.5-2 µg/mL |
|--------------------|--|
| | Immunohistochemistry: 5-20 μg/mL |
| | Immunocytochemistry: 5-20 μg/mL |
| | Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| | |
| | |


Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant COL1a1, Human using Polyclonal Antibody to Collagen Type I Alpha 1 (COL1a1)