

Datasheet for ABIN7443587

anti-CD84 antibody (AA 32-222)





Overview

Quantity:	100 μL
Target:	CD84
Binding Specificity:	AA 32-222
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD84 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC),
	Immunocytochemistry (ICC)
Product Details	
Purpose:	Polyclonal Antibody to Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5)
Purpose: Immunogen:	Polyclonal Antibody to Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5) Recombinant Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5) corresdonding to Ile32~Leu222
·	Recombinant Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5)
Immunogen:	Recombinant Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5) corresdonding to Ile32~Leu222
Immunogen: Isotype:	Recombinant Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5) corresdonding to Ile32~Leu222
Immunogen: Isotype:	Recombinant Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5) corresdonding to Ile32~Leu222 IgG The antibody is a rabbit polyclonal antibody raised against SLAMF5. It has been selected for its
Immunogen: Isotype: Specificity:	Recombinant Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5) corresdonding to Ile32~Leu222 IgG The antibody is a rabbit polyclonal antibody raised against SLAMF5. It has been selected for its ability to recognize SLAMF5 in immunohistochemical staining and western blotting.

Target Details


Alternative Name:	SLAMF5 (CD84 Products)
Background:	CD84, LY9B, Cell surface antigen MAX.3, Hly9-beta, Leukocyte differentiation antigen CD84
UniProt:	Q18PI6

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of SLAMF5 in Mouse Liver lysate using Polyclonal Antibody to Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5)



Western Blotting

Image 2. Detection of Recombinant SLAMF5, Mouse using Polyclonal Antibody to Signaling Lymphocytic Activation Molecule Family, Member 5 (SLAMF5)



Immunohistochemistry

Image 3. #VALUE!