antibodies .- online.com







anti-Myoglobin antibody (AA 1-154)





Overview

Quantity:	100 μL
Target:	Myoglobin (MB)
Binding Specificity:	AA 1-154
Reactivity:	Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Myoglobin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Target:

Purpose:	Polyclonal Antibody to Myoglobin (MYO)
Immunogen:	Recombinant Myoglobin (MYO) corresdonding to Met1~Gly154 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MYO. It has been selected for its ability to recognize MYO in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Myoglobin (MB)

Target Details


Alternative Name:	Myoglobin (MB Products)
Background:	PVALB, MB
Pathways:	Brown Fat Cell Differentiation

Application Details

Application Notes:	Western blotting: 0.5-3 μg/mL
	Immunohistochemistry: 5-30 μg/mL
	Immunocytochemistry: 5-30 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of MYO in Bovine Cardiac Muscle Tissue using Polyclonal Antibody to Myoglobin (MYO)



Western Blotting

Image 2. Detection of Recombinant MYO, Bovine using Polyclonal Antibody to Myoglobin (MYO)



Immunohistochemistry

Image 3. Detection of MYO in Bovine Skeletal muscle Tissue using Polyclonal Antibody to Myoglobin (MYO)