# antibodies -online.com





## anti-CXCL5 antibody (AA 41-132)

2 Images



#### Overview


Quantity:	100 μL
Target:	CXCL5
Binding Specificity:	AA 41-132
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXCL5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Epithelial Neutrophil Activating Peptide 78 (ENA78)
Immunogen:	Recombinant Epithelial Neutrophil Activating Peptide 78 (ENA78) corresdonding to Ala41~Gln132
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ENA78. It has been selected for its ability to recognize ENA78 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


### **Target Details**

rarget Details	
Target:	CXCL5
Alternative Name:	Epithelial Neutrophil Activating Peptide 78 (CXCL5 Products)
Background:	CXCL5, SCYB5, Chemokine C-X-C-Motif Ligand 5, Small Inducible Cytokine Subfamily B(Cys-X-
	Cys),Member 5, Neutrophil-activating peptide ENA-78
Pathways:	Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:500-2000 Immunohistochemistry: 5-20 µg/mL
	1:50-200 Immunocytochemistry: 5-20 µg/mL
	1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Immunohistochemistry**

**Image 1.** Detection of ENA78 in Mouse Stomach Tissue using Polyclonal Antibody to Epithelial Neutrophil Activating Peptide 78 (ENA78)



#### **Western Blotting**

**Image 2.** Detection of Recombinant ENA78, Human using Polyclonal Antibody to Epithelial Neutrophil Activating Peptide 78 (ENA78)