



[Go to Product page](#)

Datasheet for ABIN7443950  
**anti-SFTA2 antibody (AA 20-78)**

2 Images

Overview

Quantity:	100 µL
Target:	SFTA2
Binding Specificity:	AA 20-78
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SFTA2 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunoprecipitation (IP), Western Blotting (WB), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Surfactant Associated Protein G (SPG)
Immunogen:	Recombinant Surfactant Associated Protein G (SPG) corresponding to Thr20~Thr78
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SPG. It has been selected for its ability to recognize SPG in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	SFTA2
---------	-------

## Target Details

---

Alternative Name: Surfactant Associated Protein G ([SFTA2 Products](#))

---

Background: SP-G, SFTPG, SFTA2, Surfactant Associated 2

---

## Application Details

---

Application Notes: Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.

---

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

---

Restrictions: For Research Use only

---

## Handling

---

Format: Liquid

---

Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

---

Preservative: ProClin

---

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Storage: 4 °C,-20 °C


---

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

---


Expiry Date: 24 months

---



### Immunohistochemistry

**Image 1.** #VALUE!



### Western Blotting

**Image 2.** Detection of Recombinant SPG, Human using Polyclonal Antibody to Surfactant Associated Protein G (SPG)