antibodies -online.com





anti-AGRN antibody (AA 1130-1401)

2 Images



Overview

Quantity:	100 μL
Target:	AGRN
Binding Specificity:	AA 1130-1401
ынинд эреспісту.	AA 1130-1401
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AGRN antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP),
	Immunocytochemistry (ICC)


Product Details

Purpose:	Polyclonal Antibody to Agrin (AGRN)
Immunogen:	Recombinant Agrin (AGRN) corresdonding to Arg1130~Cys1401 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AGRN. It has been selected for its ability to recognize AGRN in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	AGRN
Alternative Name:	Agrin (AGRN Products)
Background:	Agrin Proteoglycan
Pathways:	Glycosaminoglycan Metabolic Process, Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development

Muscle Fiber Development
Western blotting: 0.5-2 μg/mL
Immunohistochemistry: 5-20 μg/mL
Immunocytochemistry: 5-20 μg/mL
Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Sodium azide
This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
should be handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.
24 months



Immunohistochemistry

Image 1. Detection of AGRN in Human Adrenal gland Tissue using Polyclonal Antibody to Agrin (AGRN)



Western Blotting

Image 2. Detection of Recombinant AGRN, Mouse using Polyclonal Antibody to Agrin (AGRN)