

Datasheet for ABIN7443971
anti-ACVA antibody (AA 44-178)[Go to Product page](#)

3 Images

Overview

Quantity:	100 µL
Target:	ACVA
Binding Specificity:	AA 44-178
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACVA antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Activin A (ACVA)
Immunogen:	Recombinant Activin A (ACVA) corresponding to Pro44~Gln178 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ACVA. It has been selected for its ability to recognize ACVA in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	ACVA
Alternative Name:	Activin A (ACVA Products)
Background:	ACV-A, Activin Beta A Beta A Homodimer
Pathways:	Hormone Transport , Peptide Hormone Metabolism

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of ACVA in Human Placenta Tissue using Polyclonal Antibody to Activin A (ACVA)



Western Blotting

Image 2. Detection of Recombinant ACVA, Human using Polyclonal Antibody to Activin A (ACVA)



Immunohistochemistry

Image 3. Detection of ACVA in Human Small intestine Tissue using Polyclonal Antibody to Activin A (ACVA)