antibodies .- online.com







anti-Transferrin Receptor 2 antibody (AA 493-784)

Images



\sim	
()\/白	view
	V I C V V

Quantity:	100 μL
Target:	Transferrin Receptor 2 (TFR2)
Binding Specificity:	AA 493-784
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Transferrin Receptor 2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Transferrin Receptor 2 (TFR2)
lmmunogen:	Recombinant Transferrin Receptor 2 (TFR2) corresdonding to Tyr493~Gln784 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TFR2. It has been selected for its ability to recognize TFR2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: Transferrin Receptor 2 (TFR2)

Target Details


Alternative Name:	Transferrin Receptor 2 (TFR2 Products)
Background:	HFE3, TFRC2
Pathways:	Transition Metal Ion Homeostasis

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	1:160-660 Immunohistochemistry: 5-20 μg/mL
	1:16-66 Immunocytochemistry: 5-20 μg/mL
	1:16-66 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant TFR2, Human using Polyclonal Antibody to Transferrin Receptor 2 (TFR2)