# antibodies -online.com





# anti-S100A12 antibody (AA 2-92)



## **Images**



#### Overview

Quantity:	100 μL
Target:	S100A12
Binding Specificity:	AA 2-92
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This S100A12 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to S100 Calcium Binding Protein A12 (S100A12)
Immunogen:	Recombinant S100 Calcium Binding Protein A12 (S100A12) corresdonding to Thr2~Glu92
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against S100A12. It has been selected for its ability to recognize S100A12 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### **Target Details**

Target:	S100A12
Alternative Name:	S100 Calcium Binding Protein A12 (S100A12 Products)
Background:	CGRP, P6, CAAF1, CAGC, ENRAGE, MRP6, Calgranulin C, Calcium-binding protein in amniotic fluid 1, Extracellular newly identified RAGE-binding, Migration inhibitory factor-related 6
Pathways:	Toll-Like Receptors Cascades, S100 Proteins
Application Details	


Western blotting: 0.5-2 μg/mL
Immunohistochemistry: 5-20 μg/mL
Immunocytochemistry: 5-20 μg/mL
Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
•

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### **Western Blotting**

**Image 1.** Detection of S100A12 in Porcine Spleen lysate using Polyclonal Antibody to S100 Calcium Binding Protein A12 (S100A12)



#### **Western Blotting**

**Image 2.** Detection of Recombinant S100A12, Procine using Polyclonal Antibody to S100 Calcium Binding Protein A12 (S100A12)



#### **Immunohistochemistry**

**Image 3.** Detection of S100A12 in Porcine Spleen Tissue using Polyclonal Antibody to S100 Calcium Binding Protein A12 (S100A12)

Please check the product details page for more images. Overall 6 images are available for ABIN7443992.