# antibodies - online.com







## anti-MT-ND1 antibody (AA 186-270)





( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷


Quantity:	100 μL	
Target:	MT-ND1	
Binding Specificity:	AA 186-270	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MT-ND1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

### **Product Details**

Purpose:	Polyclonal Antibody to NADH Dehydrogenase 1 (ND1)	
Immunogen:	Recombinant NADH Dehydrogenase 1 (ND1) corresdonding to Phe186~Phe270 (Accession # P03886) with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ND1. It has been selected for its ability to recognize ND1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


## **Target Details**

Target:	MT-ND1	
Alternative Name:	NADH Dehydrogenase 1 (MT-ND1 Products)	
Background:	MT-ND1, MTND1, NAD1, NADH-ubiquinone oxidoreductase chain 1, Mitochondrially Encoded	
	NADH Dehydrogenase 1	
Application Details		
Application Notes:	Western blotting: 0.5-3 μg/mL	
	Immunohistochemistry: 5-30 μg/mL	
	Immunocytochemistry: 5-30 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




### **Western Blotting**

Image 1. Detection of ND1 in Porcine Liver lysate using Polyclonal Antibody to NADH Dehydrogenase 1 (ND1)



### **Western Blotting**

Image 2. Detection of Recombinant ND1, Human using Polyclonal Antibody to NADH Dehydrogenase 1 (ND1)



## **Immunohistochemistry**

Image 3. #VALUE!