antibodies - online.com







anti-GAA antibody (AA 70-225)





Overview


Quantity:	100 μL
Target:	GAA
Binding Specificity:	AA 70-225
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GAA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glucosidase Alpha, Acid (GaA)
Immunogen:	Recombinant Glucosidase Alpha, Acid (GaA) corresdonding to Glu70~Lys225
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GaA. It has been selected for its ability to recognize GaA in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

rarget Details	
Target:	GAA
Alternative Name:	Glucosidase Alpha, Acid (GAA Products)
Background:	LYAG, Acid Alpha-Glucosidase, Lysosomal Alpha-Glucosidase, Pompe Disease Glycogen Storage Disease Type II, Acid Maltase, Aglucosidase Alfa
Pathways:	Cellular Glucan Metabolic Process
Application Details	
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!