# antibodies -online.com





# anti-CYP11A1 antibody (AA 44-287)

2 Images



Go to Product page

#### Overview

Quantity:	100 μL
Target:	CYP11A1
Binding Specificity:	AA 44-287
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CYP11A1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

# **Product Details**

Purpose:	Polyclonal Antibody to Cytochrome P450 11A1 (CYP11A1)
Immunogen:	Recombinant Cytochrome P450 11A1 (CYP11A1) corresdonding to Thr44~Asp287
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CYP11A1. It has been selected for its ability to recognize CYP11A1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

# Target Details


rarget Details	
Target:	CYP11A1
Alternative Name:	Cytochrome P450 11A1 (CYP11A1 Products)
Background:	CYP11A, P450SCC, Cholesterol desmolase, Cholesterol Side Chain Cleavage Enzyme, Cytochrome P450 Family 11 Subfamily A Polypeptide 1
Pathways:	Metabolism of Steroid Hormones and Vitamin D, Steroid Hormone Biosynthesis, C21-Steroid Hormone Metabolic Process, Cellular Response to Molecule of Bacterial Origin
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1,500,0000 luggary history 5,00 yrs/yrl

1-1	3 13
	1:500-2000 Immunohistochemistry: 5-20 µg/mL
	1:50-200 Immunocytochemistry: 5-20 μg/mL
	1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

# Handling

- I arialing	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months





22

18

14 10

# **Western Blotting**

Image 1. Detection of CYP11A1 in Rat Testis lysate using Polyclonal Antibody to Cytochrome P450 11A1 (CYP11A1)

# **Western Blotting**

Image 2. Detection of Recombinant CYP11A1, Pig using Polyclonal Antibody to Cytochrome P450 11A1 (CYP11A1)