# antibodies -online.com









# Overview


Quantity:	100 μL
Target:	Spindlin 1 (SPIN1)
Binding Specificity:	AA 1-262
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Spindlin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**

Purpose:	Polyclonal Antibody to Spindlin 1 (SPIN1)
Immunogen:	Recombinant Spindlin 1 (SPIN1) corresdonding to Met1~Ser262
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SPIN1. It has been selected for its ability to recognize SPIN1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


# **Target Details**

Target:	Spindlin 1 (SPIN1)
Alternative Name:	Spindlin 1 (SPIN1 Products)
Application Details	
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



# **Immunohistochemistry**

Image 1. #VALUE!



# **Western Blotting**

Image 2. Detection of Recombinant SPIN1, Human using Polyclonal Antibody to Spindlin 1 (SPIN1)