antibodies -online.com





anti-STIM1 antibody (AA 1-211)



Images



Go to Product pag

()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	STIM1
Binding Specificity:	AA 1-211
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STIM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Stromal Interaction Molecule 1 (STIM1)	
Immunogen:	Recombinant Stromal Interaction Molecule 1 (STIM1) corresdonding to Met1~Leu211 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against STIM1. It has been selected for its ability to recognize STIM1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	STIM1
Alternative Name:	Stromal Interaction Molecule 1 (STIM1 Products)
Background:	GOK
Pathways:	TCR Signaling, BCR Signaling

Precaution of Use:

Storage Comment:

Storage:

Expiry Date:

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide

should be handled by trained staff only.


4 °C,-20 °C

24 months

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which


Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without

detectable loss of activity. Avoid repeated freeze-thaw cycles.




Western Blotting

Image 1. Detection of STIM1 in Rat Liver lysate using Polyclonal Antibody to Stromal Interaction Molecule 1 (STIM1)



Western Blotting

Image 2. Detection of Recombinant STIM1, Human using Polyclonal Antibody to Stromal Interaction Molecule 1 (STIM1)



Immunohistochemistry

Image 3. Detection of STIM1 in Human Liver Tissue using Polyclonal Antibody to Stromal Interaction Molecule 1 (STIM1)

Please check the product details page for more images. Overall 5 images are available for ABIN7444409.